

BIOBACT SCENT 8 X 500 ML			
WM 0714709	Order number: 0714709		
Version 5.12	Revision Date 12.03.2025	Print Date 04.06.2025	
SECTION 1: Identification of the	substance/mixture and of the company/und	ertaking	
1.1 Product identifier			
Trade name UFI	BIOBACT SCENT 8 X 500 ML		
1.2 Relevant identified uses of the su Use of the Substance/Mixture	bstance or mixture and uses advised against : Cleaning agent		
	Restricted to professional users.		
1.3 Details of the supplier of the safe	ty data sheet		
Company	: Tana Chemie GmbH Rheinallee 96 55120 Mainz		
Telephone	: +49613196403		
Telefax	: +4961319642414		
E-mail address Responsible/issuing person	: Produktsicherheit@werner-mertz.com		
Contact person	: Product development / product safety		
1.4 Emergency telephone number			
• • •			
+49(0)551-19240			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No.	Classification	Concentration



WM 0714709

Order number: 0714709

Version 5.12

Revision Date 12.03.2025

Print Date 04.06.2025

	EC-No. Index-No. Registration number		(% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 specific concentration limit Eye Irrit. 2; H319 >= 50 %	>= 2 - < 5

.1 Description of first aid measur	
General advice	
General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	 Protect unharmed eye. If easy to do, remove contact lens, if worn. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
.2 Most important symptoms and	l effects, both acute and delayed
Symptoms	: No information available.
Risks	: No information available.
.3 Indication of any immediate m	edical attention and special treatment needed
Treatment	: For specialist advice physicians should contact the Poisons Information Service.
ECTION 5: Firefighting measu	Jres
1 Extinguishing media	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
.2 Special hazards arising from t	he substance or mixture



WM 0714709		Order number: 0714709	
Version 5.12		Revision Date 12.03.2025	Print Date 04.06.2025
Hazardous combustion products	:	No hazardous combustion products are known	
5.3 Advice for firefighters Special protective equipment for	:	In the event of fire, wear self-contained breathin	ng apparatus.
firefighters Further information	:	Collect contaminated fire extinguishing water so not be discharged into drains. Fire residues and contaminated fire extinguishind disposed of in accordance with local regulations	ng water must be

SECTION 6: Accidental release measures

6.1 Personal precautions, protective ed	quipment and emergency procedures
Personal precautions :	Use personal protective equipment.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses.
6.3 Methods and material for containm	ent and cleaning up
Methods for cleaning up :	Sweep up and shovel. Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling	:	For personal protection see section 8. No special handling advice required.		
Advice on protection against fire and explosion	:	Vapours may form explosive mixtures with air.		
Hygiene measures	:	Wash hands before breaks and at the end of workday.		
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage areas and containers	:	Store in cool place. Store at room temperature in the original container. To maintain product quality, do not store in heat or direct sunlight.		
Advice on common storage	:	No special restrictions on storage with other products.		
Further information on storage stability	:	No decomposition if stored and applied as directed. Protect from frost, heat and sunlight.		
7.3 Specific end use(s)				



WM 0714709

Order number: 0714709

Version 5.12

Revision Date 12.03.2025

Print Date 04.06.2025

Specific use(s)

: Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Inhalation	Long-term systemic effects	950 mg/m3
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Consumers	Inhalation	Acute local effects	950 mg/m3
	Consumers	Skin contact	Long-term systemic effects	206 mg/kg
	Consumers	Inhalation	Long-term systemic effects	114 mg/m3
	Consumers	Ingestion	Long-term systemic effects	87 mg/kg
	Consumers	Skin contact	Acute local effects	950 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg
	STP	580 mg/l
	intermittent release	2,75 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection : not required under normal use



BIOBACT SCENT 8 X 500 ML WM 0714709 Order number: 0714709 Version 5.12 Revision Date 12.03.2025 Print Date 04.06.2025 Hand protection not required under normal use Material Material For prolonged or repeated contact use protective gloves. ÷ It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection. Remarks Take note of the information given by the producer concerning : permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Skin and body protection not required under normal use : Respiratory protection not required under normal use :

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: light green
Odour	: odourized
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Not classified as supporting combustion according to the transport regulations.
Lower explosion limit	: No data available



WM 0714709	Order number: 0714709	
Version 5.12	Revision Date 12.03.2025	Print Date 04.06.2025
Upper explosion limit	: No data available	
Flash point	: 58,5 °C	
Ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: ca. 6,8, 100 % at 20 °C	
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	
Water solubility	: completely soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: ca. 0,991 g/cm3 at 20 °C	
Relative density	: No data available	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



WM 0714709

Order number: 0714709

Version 5.12

Revision Date 12.03.2025

Print Date 04.06.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing. Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity Acute toxicity	:	Not Rated
Components:		
ethanol		
64-17-5:		
Acute oral toxicity	:	LD50 Oral (Rat): 10.470 mg/kg Method: OECD Test Guideline 401
		LD50 (Rat): 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 51 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402
		LD50 Dermal (Rabbit): > 10.000 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation		
Product:		
Remarks	:	According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
Components:		
ethanol		
64-17-5:		
Species Method	:	Rabbit OECD Test Guideline 404
Result	:	No skin irritation
Serious eye damage/eye irritatio	on	
Product:		
Remarks	:	According to the classification criteria of the European Union, the product is not considered as being an eye irritant.



BIOBACT SCENT 8 X 500 ML WM 0714709 Order number: 0714709 Version 5.12 Revision Date 12.03.2025 Print Date 04.06.2025 **Components:** ethanol 64-17-5: Species Rabbit : Method **OECD** Test Guideline 405 : Result Mild eye irritation Respiratory or skin sensitisation Product: Remarks No data available : **Components:** ethanol 64-17-5: Result Not a skin sensitizer. Germ cell mutagenicity : Not Rated Carcinogenicity : Not Rated Reproductive toxicity : Not Rated The substance or mixture is not classified as specific target organ STOT - single exposure 2 toxicant, single exposure. STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Repeated dose toxicity **Components:** ethanol 64-17-5: Species Rat, male : NOAEL > 20 mg/kg : OECD Test Guideline 403 Method Species Rat, female NOAEL 1.730 mg/kg Method OECD Test Guideline 408 : : Not Rated Aspiration toxicity 11.2 Information on other hazards **Further information** Product: No data available Remarks ٠



SECTION 12: Ecological information

WM 0714709

Order number: 0714709

Version 5.12

Revision Date 12.03.2025

Print Date 04.06.2025

12.1 Toxicity **Components:** ethanol 64-17-5: LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l Toxicity to fish Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l Exposure time: 48 h LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l Exposure time: 96 h LC50 (Fish): 11.200 mg/l Toxicity to daphnia and other EC50 (Daphnia magna (Water flea)): 12.340 mg/l aquatic invertebrates Exposure time: 48 h EC50 : 5.012 mg/l EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Toxicity to algae/aquatic plants Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l Exposure time: 48 h Test Type: Growth inhibition Method: No information available. EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l Exposure time: 168 h EC50: 4.432 mg/l EC10: 11,5 mg/l EC10:280 mg/l EC50 (Pseudomonas putida): 11.800 mg/l Toxicity to microorganisms Exposure time: 16 h Test Type: Cell multiplication inhibition test 12.2 Persistence and degradability **Components:** ethanol 64-17-5: Biodegradability Result: Readily biodegradable. Biodegradation: 97 % Method: OECD Test Guideline 301



WM 0714709		Order number: 0714709	
Version 5.12		Revision Date 12.03.2025	Print Date 04.06.202
12.3 Bioaccumulative potential			
Components:			
ethanol			
64-17-5:			
Bioaccumulation	:	Concentration: 3,2 mg/l	
Partition coefficient: n- octanol/water	:	log Pow: -0,32	
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB as	ssessm	nent	
Product:			
Assessment	:	This mixture contains no substance con bioaccumulating and toxic (PBT) This is substance considered to be very persist (vPvB).	mixture contains no
12.6 Endocrine disrupting prope	erties		
No data available			
12.7 Other adverse effects			
Product:			
Additional ecological informa	tion :	There is no data available for this produ	ct.

SECTION	13:	Disposal	considerations
---------	-----	----------	----------------

13.1 Waste treatment methods	
Product	: In accordance with local and national regulations.
Contaminated packaging	 Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste Code	European Waste Catalogue 20 01 29* According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods



WM 0714709

Order number: 0714709

Version 5.12

Revision Date 12.03.2025

Print Date 04.06.2025

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.4 Packing group

ADR Not dangerous goods IMDG Not dangerous goods IATA Not dangerous goods

14.5 Environmental hazards

ADR Not dangerous goods IMDG Not regulated as a dangerous good IATA Not dangerous goods

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

:

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of t the Council concerning the export chemicals	
REACH - Restrictions on the man market and use of certain danger articles (Annex XVII)	
Seveso III: Directive 2012/18/EU of the European Parliament and o the Council on the control of major-accident hazards involving dangerous substances.	: Not applicable
TA Luft List (Germany)	 Total dust: Not applicable Inorganic substances in powdered form: Not applicable Inorganic substances in vapour or gaseous form: Not applicable Organic Substances: Not applicable Carcinogenic substances: Not applicable Mutagenic: Not applicable



WM 0714709	Order number: 0714709	
Version 5.12	Revision Date 12.03.2025	Print Date 04.06.2025
Volatile organic compounds (VOC) content	 Toxic to reproduction: Not applicable Directive 2010/75/EU of 24 November 2 (integrated pollution prevention and con Update: Percent volatile: 4,81 % 794,26 g/l VOC content excluding water 	
Volatile organic compounds (VOC) content	 Directive 2010/75/EU of 24 November 2 (integrated pollution prevention and con Update: Percent volatile: 4,81 % 47,67 g/l VOC content valid only for coating mate 	trol)
according to Detergents Regulation EC 648/2004	: <5% anionic surfactants, non-ionic surfa	actants, perfumes

15.2 Chemical safety assessment

SECTION 16: Other information		
Full text of H-Statements		
H225 H319	:	Highly flammable liquid and vapour. Causes serious eye irritation.
Full text of other abbreviations		
Eye Irrit. Flam. Liq.	:	Eye irritation Flammable liquids

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent. Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail;



WM 0714709

Order number: 0714709

Version 5.12

Revision Date 12.03.2025

Print Date 04.06.2025

50000004820

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information Classification of the mixture:

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN